ELSEVIER

Marine Micropaleontology 29 (1997) 423–424

MARINE MICROPALEONTOLOGY

Contents Volume 29, 1996/1997

Research Papers

Integrated stratigraphy and paleoceanography of the Messinian (latest Miocene) across the North Atlantic Ocean
J. Zhang and D.B. Scott 1

Calcareous nannofossils as paleoproductivity indicators in Upper Cretaceous organic-rich sequences in Israel
Y. Eshet and A. Almogi-Labin 37

Book Review

The Challenger Foraminifera, by R.W. Jones — C.W. Smart 63

MicroNotes

The Cretaceous–Tertiary boundary: the El Kef blind test
J.H. Lipps 65

An attempt to resolve the controversy over the end-Cretaceous extinction of planktic foraminifera at El Kef, Tunisia using a blind test. Introduction: background and procedures
R.N. Ginsburg 67

The El Kef sections and sampling procedures
J. Smit, G. Keller, F. Zargouni, S. Razgallah, M. Shimi, O. Ben Abdelkader, N. Ben Haj Ali and H. Ben Salem 69

El Kef blind test I results
J.I. Canudo 73

El Kef blind test II results
B.A. Masters 77

El Kef blind test III results
R.K. Olsson 80

El Kef blind test IV results
X. Orue-etxebarria 85

Analysis of El Kef blind test I
G. Keller 89

Analysis of the El Kef blind test II
J. Smit and A.J. Nederbragt 94

Perspectives on the blind test
R.N. Ginsburg 101

Research Papers

Benthic foraminiferal assemblages between two major extinction events: the Paleocene El Kef section, Tunisia
T.J. Kouwenhoven, R.P. Speijer, C.W.M. van Oosterhout and G.J. van der Zwaan 105

Planktic foraminiferal turnover across the Paleocene–Eocene transition at DSDP Site 401, Bay of Biscay, North Atlantic
A. Pardo, G. Keller, E. Molina and J.I. Canudo 129

Experimental and observational studies of radiolarian physiological ecology, 6. Effects of silicate-supplemented seawater on the longevity and weight gain of spongiose radiolarians *Spongaster tetras* and *Dictyocoryne truncatum*
K. Sugiyama and O.R. Anderson 159

Editorial
J.R. Young and J.H. Lipps 173

Research Papers
Laboratory observations of rates and patterns of movement of continental margin benthic foraminifera
L. Bornmalm, B.H. Corliss and K. Tedesco 175
Benthic foraminiferal associations in the Northern Bay of Safaga, Red Sea, Egypt
T.G. Haunold, C. Baal and W.E. Piller 185
The impact of the Mediterranean Outflow Water (MOW) on benthic foraminiferal assemblages and surface sediments at the southern Portuguese continental margin
J. Schönfeld 211
Distribution of the twenty seven dominant species of shelf benthic foraminifers on the continental shelf, north of Dakar (Senegal)
J.-P. Debenay and F. Redois 237
Distribution of planktic foraminifera at the ice margin in the Arctic (Fram Strait)
J. Carstens, D. Hebbeln and G. Wefer 257
The morphometric variation of *Actinomma boreale* (Radiolaria) in Atlantic boreal waters
G. Cortese and K.R. Bjørklund 271
Distribution of *Chaetoceros* resting spores in modern peri-Antarctic sediments
X. Crosta, J.-J. Pichon and M. Labracherie 283
Paleodepth determination from Antarctic benthic diatom assemblages
J.M. Whitehead and A. McMinn 301
Morphology and biogeography of *Gephyrocapsa* coccoliths in Holocene sediments
J. Bollmann 319
The last 100,000 years in the western Mediterranean: sea surface water and frontal dynamics as revealed by coccolithophores
J.A. Flores, F.J. Sierro, G. Francés, A. Vázquez and I. Zamarreño 351
Dinoflagellate cyst distribution in surface sediments of the southern Indian Ocean
F. Marret and A. de Vernal 367
Preservation of organic-walled dinoflagellate cysts in different oxygen regimes: a 10,000 year natural experiment
K.A.F. Zonneveld, G.J.M. Versteegh and G.J. de Lange 393
Use of dinoflagellate cysts to determine changing Quaternary sea-surface temperature in southern Australia
A. McMinn and P. Wells 407